

JEE Main – 07th April – 2025 (Shift-1)

[Memory Based Questions]

PHYSICS

1. In a resonance tube closed at one end. Resonance is obtained at length $l_1 = 120$ cm and $l_2 = 200$ cm. If $V_s = 340$ m/s. Find frequency of sound.

a) 212.5Hz b) 218.4Hz c) 220.5Hz d) 202.5Hz

Ans: (a)

2. 2 plane polarized light waves combine at certain point whose "E" components are
 $E_1 = E_0 \sin \omega t$.

$$E_2 = E_0 \sin (\omega t + \pi/3)$$

Find the Amplitude of Resultant wave.

a) E_0 b) $0.9E_0$ c) $1.7E_0$ d) $3.4E_0$

Ans: (c)

3. AC current is represented by $i = 5\sqrt{2} + 10 \cos \left(650\pi t + \frac{\pi}{6} \right)$ Amp. The rms value of the current is

a) $5\sqrt{2}$ Amp b) 50 Amp c) 50 Amp d) 10 Amp

Ans: (d)

4. Dimension of $\left[\epsilon_0 \frac{d\phi E}{dt} \right]$ is?

a) L^2A b) A c) A^{-1} d) $L^{-1}A$

Ans: (b)

5. A lens having refractive index 1.6 has focal length of 12 cm, when it is in air. Find the focal length of the lens when it is placed in water is ____ ($\mu_w = 1.28$)

a) 288 mm b) 655 mm
c) 355 mm d) 555 mm

Ans: (a)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

CLASSROOM STUDENT
FROM GRADE VI-XII

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

CLASSROOM STUDENT
FROM GRADE VI-XII


JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

CLASSROOM STUDENT
FROM GRADE I-XII

6. Find the current in Zener Diode




- a) 50mA b) 30mA c) 10mA d) 40mA

Ans: (d)

7. Find the power of combination?


$f=30\text{cm}$ $f=10\text{cm}$



- a) 20D b) 5D c) 10D d) 15D

Ans: (c)

8. Find h if apparent depth is 40cm



- a) 5cm b) 3cm c) 7cm d) 9cm

Ans: (b)

9. Two bodies projected with same initial velocities from same point with angles $45 + \alpha$ and $45 - \alpha$. The ratio of their Time of Flights is

- a) 1 b) $\frac{1+\tan \alpha}{1-\tan \alpha}$ c) $\frac{1+\sin 2\alpha}{1-\sin 2\alpha}$ d) $\frac{1-\tan \alpha}{1+\tan \alpha}$

Ans: (b)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**


JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**


10. A wire of resistance R is made into a pyramid of a triangle. The equivalent resistance b/w A & B is $\frac{R}{n}$. Find ' n '.



- a) 10 b) 14 c) 12 d) 16

Ans: (c)

11. Find the work done



- a) 31.4J b) 21.8J c) 21.4J d) 11.4J


Ans: (a)

12. The percentage increase in magnetic field (B) when space within a current carrying solenoid is filled with magnesium (Given that susceptibility of magnesium is 1.2×10^{-5} at room temp)

- a) $\frac{5}{6} \times 10^{-4}\%$ b) $\frac{5}{3} \times 10^{-5}\%$ c) $\frac{6}{5} \times 10^{-3}\%$ d) $\frac{5}{6} \times 10^{-5}\%$

Ans: (c)

13. Where is position of center of mass of the system. ($L = 10$ cm)



- a) $2i + 3j$ b) $4i + 9j$ c) $5i + 8j$ d) $3i + 7j$

Ans: (b)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**


JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

- 14 Disc, Sphere and spherical shell of same mass and radius are placed as shown. Find moment of inertia about Y-axis



- a) $\frac{199}{60}MR^2$ b) $\frac{189}{60}MR^2$ c) $\frac{179}{60}MR^2$ d) $\frac{159}{60}MR^2$

Ans: (a)

- 15 A composite sound wave is represented by $y = A \cos wt + A \cos w't$ the observe beat frequency is

- a) $\frac{w-w'}{2\pi}$ b) $\frac{w'-w}{2\pi}$ c) $\frac{wt}{\pi}$ d) $\frac{w't}{\pi}$

Ans: (a)

- 16 A cubic block of mass M is sliding down on inclined plane at 60° with an acceleration of $g/2$. The value of coefficient of kinetic friction is

- a) $1 - \frac{\sqrt{3}}{2}$ b) $\sqrt{3} - 1$ c) $\frac{\sqrt{2}}{3}$ d) $\frac{\sqrt{3}}{2}$

Ans: (b)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN




S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

CHEMISTRY

1. Which of the following gives positive Carbylamine test?



Ans: (c)

2. Match the following List-I with List-II
(bp – bond pair and lp – lone pair)

List-I (Molecule)		List-II (bp & lp)	
A)	ICl_2^-	I)	4 : 2
B)	H_2O	II)	2 : 1
C)	SO_2	III)	2 : 3
D)	XeF_4	IV)	2 : 2

- a) A-I, B-II, C-IV, D-III b) A-III, B-IV, C-II, D-I
c) A-III, B-IV, C-I, D-II d) A-II, B-I, C-III, D-IV

Ans: (b)

3. **Statement-1:** - Statement-1: D-(+)- Glucose and D-(+)- fructose are formed on hydrolysis of sucrose.

Statement-2: - Sucrose is called invert sugar.

Choose the **correct** option

- a) Statement – 1 and Statement – 2 are correct
b) Statement – 1 and Statement – 2 are incorrect
c) Statement – 1 is correct and Statement – 2 is incorrect
d) Statement – 1 is incorrect and Statement – 2 is correct

Ans: (d)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

4. A compound having molecular formula MX_3 has Van't Hoff factor of 2. What is the degree of dissociation?

a) 0.25 b) 0.5 c) 0.3 d) 0.75

Ans: (c)

5. Correct order of wavelength of the following colors:

(I) Red (II) Yellow
(III) Blue (IV) Violet

a) $\text{I} > \text{II} > \text{III} > \text{IV}$ b) $\text{IV} > \text{III} > \text{II} > \text{I}$
c) $\text{IV} > \text{III} > \text{II} > \text{I}$ d) $\text{II} > \text{I} > \text{III} > \text{IV}$

Ans: (a)

6. **Statement-1:** - Mohr's salt composed of only 3 types ions - ferrous, ammonium and sulfate.


Statement-2: - If molar conductance at infinite dilution of ferrous, ammonium, sulphate, ions are $x_1, x_2, x_3 \text{ Scm}^2 \text{ mol}^{-1}$. Then molar conductance for Mohr's salt is $x_1 + x_2 + 2x_3$.

Choose the **correct** option

a) Statement – 1 and Statement – 2 are correct
b) Statement – 1 and Statement – 2 are incorrect
c) Statement – 1 is correct and Statement – 2 is incorrect
d) Statement – 1 is incorrect and Statement – 2 is correct

Ans: (c)

7. Find the IUPAC name of the compound



a) 1-Bromo-4-methylbut-2-ene b) 1-Bromo-3-methylbut-2-ene
c) 1-Bromo-3-methylbut-3-ene d) 1-Bromo-2-methylbut-2-ene

Ans: (d)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339


**CLASSROOM STUDENT
FROM GRADE I-XII**

8. What is the number of valence electrons of the element that has the lowest enthalpy of atomization among the following: Cr, Fe, Co, and Ni?

- a) 9 b) 8 c) 6 d) 10

Ans: (c)





9. Given below is the structure of hormone "Thyroxine". What is the percentage of I (iodine) in the molecule?



- a) 65 b) 72 c) 85 d) 54

Ans: (a)

10. The reactions which can be applied to prepare an alkene by elimination are?



Choose the **correct** answers from the given above options.

- a) 1, 3 and 5 only b) 1, 3 and 4 only
c) 2 and 4 only d) 2 and 5 only

Ans: (a)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

- a) Statement – 1 and Statement – 2 are correct
- b) Statement – 1 and Statement – 2 are incorrect
- c) Statement – 1 is correct and Statement – 2 is incorrect
- d) Statement – 1 is incorrect and Statement – 2 is correct

Ans: (c)

16. Given below are two statements.

Assertion (A): Sodium on reaction with alcohols liberates H_2 gas.

Reason (R): Alcohols are acidic in nature.

In the light of the above statements, choose the correct answer from the options given below:-

- a) Both A and R are correct and R explains A.
- b) Both A and R are correct but R does not explain A.
- c) A is correct but R is incorrect.
- d) A is incorrect but R is correct.

Ans: (a)

17. An octahedral complex having molecular composition $Co.5NH_3.Cl.SO_4$ has two isomers A & B. The solution of A gives a white precipitate with $BaCl_2$ solution, the type of isomerism exhibited by the complex is

- a) Linkage isomerism
- b) Geometrical isomerism
- c) Co-ordinate isomerism
- d) Ionization isomerism

Ans: (d)

18. Consider the following values of standard reduction potential, $E^\circ_{Cu^{2+}/Cu} = +0.34$ V and $E^\circ_{Ag^+/Ag} = +0.80$ V.

Find E_{cell} constituted by these two electrodes if, it contains $0.2M Ag^+(aq)$ and $1.5M Cu^{2+}(aq)$.

- a) 0.50 Volts
- b) -0.50 Volts
- c) 0.41 Volts
- d) -0.41 Volts

Ans: (c)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

19. Transition metal belonging to 3d series having lowest enthalpy of atomization in its most stable oxidation state forms oxide MO. Nature of oxide is
a) Highly acidic b) Amphoteric c) Highly basic d) Neutral

Ans: (b)

20. An organic compound weighing 500 mg produced 220 mg of CO_2 , on complete combustion. The percentage composition of carbon in the compounds is ____ % (nearest integer) (Given molar mass is g.mol^{-1} of (C - 12, O - 16))

Ans: 12%

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

MATHEMATICS

1. The number of relations on the set $A = \{1,2,3\}$ containing atmost 6 elements including $(1, 2)$ which are reflexive and transitive but not symmetric is _____

Ans: 12

2. The number of singular matrices of the order 2 whose elements are from the set $\{2,3,6,9\}$ is _____

Ans: 36

3. The remainder when $((64)^{(64)})^{(64)}$ is divided by 7 is equal to
a) 3 b) 4 c) 1 d) 6

Ans: (c)

4. The integral $\int_0^{\pi} \frac{(x+3)\sin x}{1+3\cos^2 x} dx$ is equal to
a) $\frac{\pi}{3\sqrt{3}}(\pi + 6)$ b) $\frac{\pi}{2\sqrt{3}}(\pi + 4)$ c) $\frac{\pi}{\sqrt{3}}(\pi + 2)$ d) $\frac{\pi}{\sqrt{3}}(\pi + 1)$

Ans: (a)

5. If the area of the region bounded by the curves $y = 4 - \frac{x^2}{4}$ and $y = \frac{x-4}{2}$ is equal to α the 6α equals
a) 240 b) 210 c) 250 d) 220

Ans: (c)

6. Let x_1, x_2, x_3, x_4 be in a geometric progression. If 2,7,9,5 are subtracted respectively from x_1, x_2, x_3, x_4 , then the resulting numbers are in an arithmetic progression. Then the value of $\frac{1}{24}(x_1 \cdot x_2 \cdot x_3 \cdot x_4)$ is _____
a) 36 b) 72 c) 18 d) 216

Ans: (d)

7. From a group of 7 batsmen and 6 bowlers, 10 players are to be chosen for a team, which should include at least 4 batsmen and at least 4 bowlers. One batsmen and one bowler who are captain and vice captain respectively of the team should be included. Then the total number of ways such a selection can be made is _____
a) 165 b) 145 c) 155 d) 135

Ans: (c)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

8. $\lim_{x \rightarrow 0^+} \frac{\tan\left[5(x)^{\frac{1}{3}}\right] \log_e [1+3x^2]}{(\tan^{-1} 3\sqrt{x})^2 [e^{5(x)^{4/3}} - 1]}$ is equal to
 a) $\frac{5}{3}$ b) 1 c) $\frac{1}{3}$ d) $\frac{1}{15}$
Ans: (c)
9. Let the set of all values of $p \in R$, for which both the roots of the equation $x^2 - (p + 2)x + (2p + 9) = 0$ are negative real numbers, be the interval $(\alpha, \beta]$, then $\beta - 2\alpha$ is equal to ____
 a) 20 b) 0 c) 5 d) 9
Ans: (c)
10. Let A be 3×3 matrix such that $|\text{adj}(\text{adj}(\text{adj}A))| = 81$.
 Let $S = \left\{ n \in \mathbb{Z} : (|\text{adj}(\text{adj}A)|)^{\frac{(n-1)^2}{2}} = |A|^{(3n^2 - 5n - 4)} \right\}$ then $\sum_{n \in S} |A|^{(n^2 + n)}$ is equal to
 a) 750 b) 820 c) 732 d) 866
Ans: (c)
11. Let 'P' be the parabola, whose focus is $(-2, 1)$ & directrix is $2x + y + 2 = 0$. Then the sum of the ordinates of the points on P, whose abscissa is -2 is ____
 a) $5/2$ b) $1/4$ c) $3/4$ d) $3/2$
Ans: (d)
12. Let the angle θ , $0 < \theta < \pi/2$ between two unit vectors $\hat{a}$ and $\hat{b}$ be $\sin^{-1} \left[\frac{\sqrt{65}}{9} \right]$. If the vector $\vec{c} = 3\hat{a} + 6\hat{b} + 9(\hat{a} \times \hat{b})$, then the value of $9(\vec{c} \cdot \hat{a}) - 3(\vec{c} \cdot \hat{b})$ is ____
 a) 24 b) 31 c) 29 d) 27
Ans: (c)
13. **Statement-I :** The set $\{z \in \mathbb{C} - \{-i\} : |z| = 1 \text{ and } \frac{z-i}{z+i} \text{ is purely real}\}$ contains exactly two elements and
Statement-II : The set $\{z \in \mathbb{C} - \{-1\} : |z| = 1 \text{ and } \frac{z-i}{z+i} \text{ is purely imaginary}\}$ contains infinitely many elements. Then
 a) only Statement - II is correct b) only Statement - I is correct
 c) both are correct d) Both are incorrect
Ans: (a)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

14. Let $x = -1$ & $x = 2$ be the critical points of the function $f(x) = x^3 + ax^2 + b \log_e |x| + 1$, $x \neq 0$. Let m and M respectively be the absolute minimum and the absolute maximum values of f in the interval $\left[-2, -\frac{1}{2}\right]$. Then $|M + m|$ is equal to _____ ($\log_e 2 = 0.7$)

a) 20.9 b) 19.8 c) 22.1 d) 21.1

Ans: (d)

15. Let the line L pass through $(1,1,1)$ and intersect the lines $\frac{x-1}{2} = \frac{y+1}{3} = \frac{z-1}{4}$ and $\frac{x-3}{1} = \frac{y-4}{2} = \frac{z}{1}$. Then, which of the following points lies on the line L ?

a) (4,22,7) b) (5,4,3) c) (10, -29, -50) d) (7,15,13)

Ans: (d)

16. The mean and standard deviation of 100 observations are 40 and 5.1 respectively. By mistake one observation is taken as 50 instead of 40. If the correct mean and the correct standard deviation are μ and σ respectively, then $10(\mu + \sigma)$ is equal to

a) 449 b) 451 c) 447 d) 445

Ans: (a)

17. Let C_1 be the circle in the 3rd quadrant of radius 3, that touches both coordinate axes. Let C_2 be the circle with center $(1, 3)$ that touches C_1 externally at the point (α, β) . If $(\beta - \alpha)^2 = \frac{m}{n}$, $\gcd(m, n) = 1$, then $m + n$ is equal to.

a) 31 b) 22 c) 13 d) 9

Ans: (b)

18. Let ABC be the triangle such that the equations of lines AB and AC be $3y - x = 2$ and $x + y = 2$ respectively and the points B and C lies on x -axis. If P is the orthocentre of $\triangle ABC$, then the area of triangle PBC is equal to

a) 10 b) 8 c) 4 d) 6

Ans: (d)

19. If the shortest distance between the lines $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4}$ and $\frac{x}{1} = \frac{y}{2} = \frac{z-5}{1}$ is $\frac{5}{\sqrt{6}}$, then the sum of all possible values of ' α ' is

a) $3/2$ b) -3 c) 3 d) $-3/2$

Ans: (b)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**

20. Let the system of equations $2x + 3y + 5z = 9$, $7x + 3y - 2z = 8$, $12x + 3y - (4 + \lambda)z = 16 - \mu$, have infinitely many solutions. Then the radius of the circle centered at (λ, μ) and touching the line $4x = 3y$ is

a) $21/5$ b) $17/5$ c) $7/5$ d) 7

Ans: (c)

21. If for $\theta \in \left[-\frac{\pi}{3}, 0\right]$, the points $(x, y) = \left[3\tan\left(\theta + \frac{\pi}{3}\right), 2\tan\left[\theta + \frac{\pi}{6}\right]\right]$ lie on the $xy + \alpha x + \beta y + \gamma = 0$, then $\alpha^2 + \beta^2 + \gamma^2$ is equal to

a) 75 b) 72 c) 80 d) 96

Ans: (a)

LIVE Infinity Learn by Sri Chaitanya Educational Institutions

JEE MAIN 2025

SESSION-2 7th April Shift-1

QUESTION PAPER SOLUTIONS



[Telegram: Contact @InfinityLearnJEE](https://t.me/InfinityLearnJEE)

JEE ADVANCED



VAVILALA CHIDVILAS
H.T.No. 236165088

**CLASSROOM STUDENT
FROM GRADE VI-XII**

NEET



B VARUN CHAKRAVARTHI
H.T.No. 1205120175

**CLASSROOM STUDENT
FROM GRADE VI-XII**

JEE MAIN



S VENKAT KOUNDINYA
H.T.No. 230310124339

**CLASSROOM STUDENT
FROM GRADE I-XII**